

Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 1/26





Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 2/26


FIG.2



Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 3/26










~

Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 5/26

**FIG.** 5








Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 8/26


FIG. 8



Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 9/26

FIG. 9


## COOLING PERFORMANCE △ T (°C)



Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 10/26


FIG. 10


## WITHSTAND PRESSURE (Kgf/cm<sup>2</sup>)



Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 11/26


FIG. 11






Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 12/26

FIG. 12




Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 13/26


FIG. 13





Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 14/26

FIG. 14











Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 15/26


FIG. 15






Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 16/26


FIG. 16







Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 17/26

FIG. 17







Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 18/26

FIG. 18







FIG. 19






Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 19/26

FIG. 20




Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 20/26

FIG. 21









Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 21/26


FIG. 22






Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 22/26


FIG. 23





Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 23/26

FIG. 24







FIG 25

Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 25/26

FIG. 26



Kazuyuki Mikubo, et al. COOLING DEVICE FOR AN ELECTRONIC EQUIPMENT Our Docket 19453 26/26

FIG. 27

